HUBBELL PREMISE WIRING WORK STATION



HUBBELL

Audio/Video Connectors, Gold Speaker Post

Universal Keystone Design fits in all Hubbell Products.

Gold-Plated Connection.

Screw-Style or Plug-In Installation for Quick and Easy Termination.

Industry Standard Banana Plug Style Connection.



High-performance, Gold-plated speaker posts.

Quick and easy screw-style connection.

SPECIFICATIONS

Connector:

Body: Brass Plating: Gold $2\mu''$

Material:

Housing: Flame Retardant Polymer

(UL 94V-0)

Ring Color: Black and Red.

Hubbell's Gold AV Speaker Post connectors provide a perfect solution for distributing audio signals throughout the home, office, classroom or to a work area. Requiring no soldering, these gold speaker post connectors install with a "snap" and provide a quick, easy screw-on or plug-in termination.

These gold speaker posts are available in 7 standard Hubbell colors and flush mount into all **iSTATION** $^{\text{TM}}$ face plates, modules, frames, surface housings, Hubbell Delivery System products including poke-throughs and surface raceway, and **iSTATION** $^{\text{TM}}$ UDX multimedia panels.

Create a customized multimedia workstation by adding a Gold AV speaker post along with Hubbell's other AV modules or **XCELERATOR**™ jacks.

CONNECTOR TERM

Speaker Post: Binding post is a connector commonly used on loudspeakers and audio amplifiers as well as other electrical equipment. A binding post contains a central threaded metal rod and a cap that screws down on that rod.

Banana Plug: Is a single-wire (one conductor) male electrical connector used for joining wires to equipment. Commonly used on the cables connecting audio eqipment, amplifiers or recievers to the loudspeakers or home sound systems

Color-Code:

Red: + positive Black: - negative

INSTALLATION TIPS

Home theater.

APPLICATIONS SUPPORTED

Surround sound systems.

Entertainment systems.

Speaker connections.

Important: Always allow for clearance behind connection location to ensure for proper bend radius.

Gold Plating: Gold plating encapsulates the connectors base metal (brass) preventing oxidation/corrosion from forming. It also has a more transparent (signal) conductive path over Nickel (3x), which is closer to copper it's transmitting over.

CABLE TERMINATION

Cable Type: 14-24 AWG stranded.

HUBBELL PREMISE WIRING WORK STATION

DIMENSIONS

AV Connectors, Speaker Post, Gold



Housing color* SFSPGBKXX SFSPGRXX
Office White SFSPGBK SFSPGR

XX = Housing Colors

"AL" = Almond; "BK" = Black; "EI" = Electric Ivory; "GY" = Gray;

"LA" = Light Almond; "OW" = "W" = White.

0.858

Speaker Post Plugs

10-pack



iSTATION™ COMPATIBLE

Work Station and Cross-Connect Solutions

0.46

1.05

- Front and Rear-loading Plates
- Duplex and Decorator Frames
- ISM Surface Mount Boxes
- UDX Multimedia Panels (except 1U-48)
- ullet netSELECT $^{\mathrm{TM}}$: Residential Network Solution
- **iFRAME**™ Vertical Patch Panel


Hubbell Delivery System


- Hubbell SystemOne Poke-Throughs and Floor Boxes
- Hubbell Surface Raceway, Metal and Non-Metallic
- Multi-Connect[™] Wall Boxes/Conference Table Boxes
- Power Poles



0.754

TYPICAL APPLICATIONS







Hubbell Premise Wiring

HUBBELL INCORPORATED (Delaware)

14 Lord's Hill Road • Stonington, CT 06378-0901 • (860) 535-8326 • 800-626-0005

Fax: (860) 535-8328 • Internet site: http://www.hubbell-premise.com

DS-C50 12/07

Worldwide Locations
Hubbell Premise Wiring, Asia Pacific
Hubbell Canada Inc.
Hubbell Premise Wiring, Central America
Hubbell Premise Wiring, China
Hubbell Premise Wiring, Europe
Hubbell Premise Wiring, India
Hubbell Int'l. Inc., Korea Branch

852-2836-7131 905-839-1138 506-309-4158 86-21-6374 2660 44-01283 500500 91-80-4022-4089 (82 2) 2607 1363 Fax: 852-2836-7132 Fax: 905-839-9108 Fax: 506-260-1616 Fax: 86-21-6374 2799 Fax: 44-01283 500400 Fax: 91-80-4022-4033

Fax: (82 2) 2603 7386

Hubbell Premise Wiring, Latin America Hubbell de Mexico, S.A. de C.V. Hubbell Premise Wiring, Middle East Hubbell Premise Wiring, Puerto Rico Hubbell-Taian Co., Ltd., Taiwan Hubbell Premise Wiring, Venezuela 305-408-4501 (5255) 9151-9999 971-4-393-4192 787-855-1075 886-2-2522-1862 58-212-5156482 Fax: 305-408-8201 Fax: (5255) 9151-9989 Fax: 971-4-393-4194 Fax: 787-855-3265 Fax: 886-2-2522-1872 Fax: 58-212-6627258