




Rung Drop-Out Kit

- Used to insert an extra rung on existing runway sections to accommodate cable drops.
- Attaches to 1 1/2" (38mm) x 3/8" (9mm) stringers.
- Compatible with all 1 1/2" (38mm) stringer runway styles.
- SB17RK series rungs include: (1) rung, (2) rung clips, and assembly hardware.
- SB17DRK series drop-out kits include: (1) rung, (2) rung clips, (1) runway dropout, and assembly hardware.
- Steel construction
- Finish: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



RK Series





DRK Series

Part Number		Runway Width 'W'		Weight Each			
RK Series	DRK Series			RK Series		DRK Series	
		In.	(mm)	Lbs.	(kg)	Lbs.	(kg)
SB17RK05	SB17DRK05	5"	(127)	0.9	(0.41)	1.4	(0.63)
SB17RK06	SB17DRK06	6"	(152)	0.9	(0.41)	1.6	(0.72)
SB17RK09	SB17DRK09	9"	(228)	1.1	(0.50)	2.3	(1.04)
SB17RK12	SB17DRK12	12"	(305)	1.3	(0.59)	3.0	(1.36)
SB17RK15	SB17DRK15	15"	(381)	1.5	(0.68)	3.6	(1.63)
SB17RK18	SB17DRK18	18"	(457)	1.6	(0.72)	4.3	(1.93)
SB17RK20	SB17DRK20	20"	(508)	1.8	(0.81)	4.8	(2.17)
SB17RK24	SB17DRK24	24"	(609)	2.0	(0.91)	5.7	(2.58)
SB17RK30	SB17DRK30	30"	(762)	2.4	(1.09)	7.1	(3.22)
SB17RK36	SB17DRK36	36"	(914)	2.7	(1.22)	8.4	(3.81)

Steel Runway Drop-Out

- Use to provide a smooth radius for cable exit.
- SB2129 Series fits channel or tube rungs 1/2" (13mm) x 1" (25mm).
- SB2129U Series fits rungs 3/8" (9mm) x 1 1/2" (38mm).
- Cable tie down holes provided.
- 4" (102mm) cable bend radius.
- Includes: self-drilling screws.
- Material: 18 Gauge (1.2mm) ASTM A569 steel
- Finish___: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)



Part Number		Dropout Width		Runway Width		Weight	
SB2129 Series	SB2129U Series	In.	(mm)	In.	(mm)	Lbs.	(kg)
SB212906	SB2129U06	4"	(101)	6"	(152)	0.7	(0.31)
SB212909	SB2129U09	7"	(178)	9"	(228)	1.2	(0.54)
SB212912	SB2129U12	10"	(254)	12"	(305)	1.7	(0.77)
SB212915	SB2129U15	13"	(330)	15"	(381)	2.2	(0.99)
SB212918	SB2129U18	16"	(406)	18"	(457)	2.7	(1.22)
SB212920	SB2129U20	18"	(457)	20"	(508)	3.0	(1.36)
SB212924	SB2129U24	22"	(559)	24"	(609)	3.7	(1.67)
SB212930	SB2129U30	28"	(711)	30"	(762)	4.7	(2.13)
SB212936	SB2129U36	34"	(863)	36"	(914)	5.7	(2.58)




FB is a popular Bee List item

Side Drop-Out

- Allows for cable to exit from side of cable runway stringer.
- Provides a radius bend in accordance with EIA recommendations.
- Will fit either 3/8" (9mm) x 1 1/2" (38mm) or 2" (51mm) stringers.
- Includes installation hardware.
- Material: 14 ga. (1.9mm) ASTM A36 steel
- Finish: Yellow Zinc (YZ),
Telco Gray Powder Coat (TG) or
Flat Black Powder Coat (FB)
(Other finishes are available upon request)

Installation
Example




Part Number	Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB2129SD06	5"	(127)	1.8	(0.8)
SB2129SD09	7 3/4"	(197)	1.8	(0.8)
SB2129SD12	10 1/4"	(260)	2.0	(0.9)
SB2129SD18	16 3/4"	(425)	3.9	(1.7)
SB2129SD24	22 1/4"	(565)	5.1	(2.3)

Holes for
tiedown

Bend Radius
4" (101mm)


Width




BZ & YZ are popular Bee List items

Universal Drop-Out

- Drop-out can be used on both cable runway and relay racks.
- Provides a radius bend in accordance with EIA recommendations.
- Attaches with sheet metal screws (included).
- Material: Aluminum
- Finish: Brushed Aluminum (AL),
Telco Gray Powder Coat (TG),
Computer White Powder Coat (CW) or
Flat Black Powder Coat (FB)




#8 Sheet Metal Screws



Part Number	'W'		# of Screws	Weight	
	In.	(mm)		Lbs.	(kg)
SB78706	5.44	(138)	2	0.3	(0.13)
SB78712	11.44	(290)	3	0.7	(0.32)
SB78718	17.44	(443)	4	1.1	(0.50)

Drop-Out for Aluminum C-Channel Stringer Only

- Provides a radius bend in accordance with EIA recommendations.
- Fits SB13AL style stringer only (not compatible with welded runways).
- No hardware required to attach drop-out to rung.
- Material: Aluminum
- Finish___: Brushed Aluminum (AL),
Flat Black Powder Coat (FB)



Part Number	Width		Weight	
	In.	(mm)	Lbs.	(kg)
SB13ALDO06__	5.24"	(184)	0.4	(0.18)
SB13ALDO09__	8.24"	(209)	0.7	(0.32)
SB13ALDO12__	11.24"	(285)	0.9	(0.41)
SB13ALDO18__	17.24"	(438)	1.4	(0.63)
SB13ALDO24__	23.24"	(590)	1.9	(0.86)
SB13ALDO30__	29.24"	(742)	2.3	(1.04)
SB13ALDO36__	35.24"	(895)	2.7	(1.22)