## **Heat-Cure Connector, ST® Compatible**

Plastic Housing, bulk pack, Single-mode (OS2), blue



Corning Cable Systems offers a complete line of heat -cure, epoxy-and-polish connectors for the flexibility to meet any factory termination need. ST® Compatible connectors are available for both Single-mode and multimode applications. ST Compatible connectors are offered in metal or plastic designs with the metal design utilizing a unique ramped latch for ease of installation. Each connector meets FOCIS and TIA/EIA-568-B.3 standards and ships pre-assembled from the factory to reduce installation time. Zirconia ferrules with preradiused end faces allow for physical contact polishing supporting super or ultra PC performance (SPC or UPC).

#### **Features and Benefits**

Ships preassembled from the factory Reduces installation time

**Zirconia ferrules with preradiused end-faces**Allow for physical contact polishing for super or ultra PC performance

### **Specifications**

oxy and Polish Connectors
•
(OS2)

Chemical Characteristics	
RoHS	Free of hazardous substances according to RoHS 2002/95/ EG



# **Heat-Cure Connector, ST® Compatible**

Plastic Housing, bulk pack, Single-mode (OS2), blue



### **Ordering Information**

Part Number	95-250-06-BP
Product Description	ST® Compatible Connector (plastic), heat-cure, Single-mode (OS2), bulk pack, blue housing

#### **Shipping Information**

Units per Delivery	100/1
Package Contents	100 connectors, ST® Compatible



Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA 800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks.

Corning Cable Systems is ISO 9001 certified. © 2012 Corning Cable Systems. All rights reserved.

