

Small Server Boot

19" Panel Mount

- Limits access to a 1U, 2U, or 4U server
- Designed for shallow equipment that does not extend in front of the rack
- Suitable for DVR applications and switches
- Fully enclosed top, bottom, and sides
- All front server attachment hardware is enclosed inside server boot
- Slotted hole pattern on door
- Keys are keyed alike
- Mounting hardware not included
- Part number includes:
 - One (1) server boot enclosure with lock
 - Two (2) keys
- Finish: Flat Black Powder Coat




Part Number	Rack Width		Rack Space Available For Equipment	Total Rack Space Used	'Weight	
	In.	(mm)			Lbs.	(kg)
SBSBO01FB	19"	(482)	1U	2U	3.86	(1.75)
SBSBO02FB	19"	(482)	2U	3U	4.47	(2.03)
SBSBO04FB	19"	(482)	4U	5U	5.66	(2.57)



Large Server Boot 19" Panel Mount

- Limits access to a 5U or 20U server.
- Deep enclosure extends out in front of the rack for patching and gear.
- Fully enclosed top, bottom, and sides.
- All front server attachment hardware is enclosed inside server boot.
- Diamond hole pattern on door.
- Keys are keyed alike.
- Also suitable for switches.
- Part number includes:
 - One (1) server boot enclosure with lock
 - Two (2) keys
 - #12-24 x $\frac{5}{8}$ " combo pan head mounting screws
 - Four (4) on 5U server and Six (6) on 20U server
- Finish: Flat Black Powder Coat



Part Number	Rack Width		Rack Space Available For Equipment	Total Rack Space Used	Weight	
	In.	(mm)			Lbs.	(kg)
SBSBO05FB	19"	(482)	5U	7U	9.25	(4.19)
SBSBO20FB	19"	(482)	20U	21U	29.40	(13.33)



Server Boot With Extension Rails 19" Panel Mount

- Use to mount patch panels to wall.
- Hinged design allows easy access.
- Limits access to a 4U or 6U server
- Fully enclosed top, bottom, and sides
- All front server attachment hardware is enclosed inside server boot
- Diamond hole pattern on door
- Keys are keyed alike
- Also suitable for switches
- Includes extension rails for backs of sliding servers
- Part number includes:
 - One (1) server boot enclosure with lock
 - Two (2) keys
 - Four (4) #12-24 x 5/8" combo pan head mounting screws
 - Two (2) extension rails
- Finish: Flat Black Powder Coat



Part Number	Extension Length		Rack Width		Rack Space Available For Equipment	Total Rack Space Used	'Weight	
	In.	(mm)					Lbs.	(kg)
SBSBE0413FB	13"	(330)	19"	(482)	4U	5U	21.63	(9.81)
SBSBE0418FB	18"	(457)	19"	(482)	4U	5U	23.80	(10.79)
SBSBE0613FB	13"	(330)	19"	(482)	6U	7U	24.55	(11.13)



Patch Panel Protector

19" Panel Mount

- Limits access to 1U or 4U patch panels
- Fully enclosed top and bottom
- All front patch panel hardware is enclosed inside patch panel
- Diamond hole pattern on door
- Keys are keyed alike
- Openings on side for cable exit
- Drop outs included to support cable bends
- Part number includes:
 - One (1) patch panel protector enclosure with lock
 - Two (2) keys
 - Four (4) #12-24 x $\frac{5}{8}$ " combo pan head mounting screws
 - Two (2) plastic drop outs
- Finish: Flat Black Powder Coat



Part Number	Rack Width		Rack Space Available For Equipment	Total Rack Space Used	'Weight	
	In.	(mm)			Lbs.	(kg)
SBSPP01FB	19"	(482)	1U	3U	12.00	(5.44)
SBSPP04FB	19"	(482)	4U	6U	8.69	(3.94)



Rack Security Door 19" Panel Mount

- Provides security for 84" (2133mm) racks.
- Designed to be field installed on existing racks with no need to shut off equipment.
- For use on two-post non-welded racks.
- Available with acrylic (SBRSD84XUPFB) or perforated (SBRSD84XVPFB) steel doors.
- Part number includes:
 - One (1) door assembly
 - Two (2) inner slides
 - Eight (8) #10-32 flange nuts
 - Eight (8) #10-32 carriage bolts
 - Two (2) keys
- Keys are keyed alike
- Inner slide allows for depth adjustment from 5¹/₄" (133mm) to 9¹/₄" (235mm).
- Finish: Flat Black Powder Coat



Part Number	Depth Adjustment		Weight	
	In.	(mm)	Lbs.	(kg)
SBRSD84XUPFB	5 ¹ / ₄ " - 9 ¹ / ₄ "	(133.3 - 234.9)	34.02	(15.43)
SBRSD84XUVFB	5 ¹ / ₄ " - 9 ¹ / ₄ "	(133.3 - 234.9)	29.85	(13.53)

