


High-Flex HOME 5e® Patch Cords

APPLICATION

High-Flex HOME 5e Patch Cords provide patching for data applications in Structured Media® Centers. The patch cords offer high-density patching and deliver 100 Mhz bandwidth performance.



SPECIFICATION

Patch cords shall provide residential application performance for cross connecting in Structured Media systems comprised of equipment, cable, and appropriate connectors. The patch cords shall be 28-gauge, unshielded, twisted pair, stranded conductor construction with a standard 8-position modular plug on both ends. Patch cords shall have an outer diameter of 0.15" and shall be available in white and blue.

WARRANTY INFORMATION

For a copy of Leviton product warranties, visit www.leviton.com/warranty.

FEATURES

- Available in white and blue
- Available in 6", 1', 2', 3', and 4' lengths
- Power over Ethernet (PoE and PoE+) compatible
- Accommodate use in high-density switches, routers, and other electronics
- Bend radius is a narrow 0.60", versus 0.88" for typical CAT 5e patch cords

DESIGN CONSIDERATIONS

- Designed to provide connectivity solution for residential applications
- Channel Length:
 - Supports 96-meter channels that include 90 meter permanent links
 - Supports 93-meter channels with 10 meters of patch cords included in the channel

STANDARDS COMPLIANCE

- Meets all applicable standards and listings
- ANSI/TIA-1096-A (formerly FCC Part 68)
 - RoHS compliant

PHYSICAL SPECIFICATIONS

- Dimensions: 6", 1', 2', 3', and 4' lengths
- Materials:
- 28-gauge, stranded UTP
 - Standard modular non-keyed, 8-position, 8-conductor plug
 - 94V-0 rated
- Outer Diameter: 0.15"
- Bend Radius: 0.60"

COUNTRY OF ORIGIN

China

5HHOM-XX*

PART NUMBERS

Description

Part No.

High-Flex HOME 5e Patch Cords

5HHOM-XX*

XX = Length: 6" (6I), 1' (01), 2' (02), 3' (03), 4' (04)

* = colors: White (W), Blue (L)

