Closet Connector Housing (CCH) Panel, Keyed-Keyed LC Adapters (Keyed-Keyed) Duplex, 24 F, SM/MM, red

CORNING

Part Number: CCH-CP24-K5

Corning closet connector housing panels (CCH-CP) are offered in a variety of fiber counts for use with LANscape® solutions hardware products for a "one-size-fits-all" approach. Used with factoryinstalled or field-installable connectors, these panels provide interconnect or cross-connect capability in a housing at main cross-connects, intermediate cross-connects, telecommunication rooms or work areas. Available with a variety of industry-standard adapter types, the CCH-CP provides an efficient way to securely mate two connectors and offers multimode and singlemode applications.



Features and Benefits

Universal approach

One panel size fits in all standard LANscape solutions hardware (for example, CCH, PCH, CCS, WCH, ICH, EDC, FZB

Eight colour-coded mechanical key positions

Prevents mismatch of networks

Meets TIA/EIA-568-B requirements Optimum optical performance

Keyed and non-keyed connectors and adapters

Provide security in network panel

Adapter options

Adapters are keyed on both sides to provide total network security

Closet Connector Housing (CCH) Panel, Keyed-Keyed LC Adapters (Keyed-Keyed) Duplex, 24 F, SM/MM, red

Specifications

Design - Adapter	
Adapter Housing Color	Red
Adapter Housing Material	Composite
Adapter Style	Keyed-Keyed
Adapter Type	LC duplex
Insert Material	Ceramic

Design	
Fiber Count	24
Number of Adapters per Panel	12
Housing Type	Panels and Modules

General Specifications

Fiber Category	SM - MM
Product Type	Panels and Modules
Application	Data Center LAN/SAN, Enterprise Networks

Cable Design

Fiber Count

24

Specifications - Connector B Keyed (security) Yes

Closet Connector Housing (CCH) Panel, Keyed-Keyed LC Adapters (Keyed-Keyed) Duplex, 24 F, SM/MM, red

Specifications - Connector A

Keyed (security)

Yes

Ordering Information

Package Contents	CCH Adapter Panel with installation guide
Units per Delivery	1/1

Standards

RoHS Free of hazardous substances according to RoHS 2011/65/EU



Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States 800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/trademarks. All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2020 Corning Optical Communications. All rights reserved.